

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	IS&R	3	("4849692").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/16 16:09		
2	IS&R	3	("4642786").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 10:08		
3	IS&R	3	("4710708").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/16 16:10		
4	IS&R	3	("4613866").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/16 16:10		
5	IS&R	3	("4945305").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/16 16:11		
6	IS&R	3	("4054881").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/16 16:11		
7	IS&R	3	("4622644").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/16 16:11		
8	IS&R	3	("5729129").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/16 16:12		
9	IS&R	2	("5712478").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/16 16:12		
10	IS&R	3	("5257676").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/16 16:12		
11	BRS	67	4849692.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:09		
12	BRS	0	5712478.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/16 16:16		
13	BRS	4	5257676.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/16 16:16		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
14 BRS	19	5729129.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:10		
15 BRS	22	4622644.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:11		
16 BRS	71	4054881.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:11		
17 BRS	80	4945305.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:11		
18 BRS	67	4613866.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:12		
19 BRS	56	4710708.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:12		
20 BRS	25	4642786.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:13		
21 IS&R	2	("6084412").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/16 17:00		
22 IS&R	3	("4679808").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/17 15:15		
23 BRS	5929	reference adj frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 14:32		
24 BRS	1	magnetic with sensor with three adj dimensional with position with velocity with acceleration and reference adj frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 14:40		
25 BRS	1	wo-200017603-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 14:39		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
26	BRS	1	ep-1131597-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 14:39		
27	BRS	2	magnetic with sensor with three adj dimensional with position with velocity with acceleration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 14:42		
28	BRS	238	object with position with velocity with acceleration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 14:53		
29	BRS	14	object with position with velocity with acceleration and transmitters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 14:54		
30	BRS	12	object with position with velocity with acceleration and transmitters and receivers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 14:55		
31	BRS	5	object with position with velocity with acceleration and transmitters and receivers and frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 09:38		
32	BRS	132	367/128.ccls. or 342/451,465.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 16:28		
33	BRS	2	magnet and (367/128.ccls. or 342/451,465.ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 16:23		
34	BRS	4	"induction loop" with "permanent magnet"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 16:26		
35	BRS	1	hall with sensor and (367/128.ccls. or 342/451,465.ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 16:29		
36	BRS	18	4849692.uref. and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 16:54		
37	BRS	2	object with position with velocity with acceleration and transmitters and receivers and frame and three near dimension	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/18 17:57		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
38	BRS	3	object with position with velocity with acceleration and transmitters and receivers and frame and three with dimension	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 08:41		
39	BRS	0	702/36-38, 57, 65-67, 92-95, 115, 127, 150-153, 183, 190, 197.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:13		
40	BRS	2406	702/36-38, 57, 65-67, 92-95, 115, 127, 150-153, 183, 190, 197.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/19 09:33		
41	BRS	3	object with position with velocity with acceleration and transmitters and receivers and frame and three with dimension	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 09:40		
42	IS&R	2	("5646524").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 10:54		
43	BRS	4	5646525.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 10:50		
44	BRS	0	5646525.uref. and velocity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 10:49		
45	BRS	1	"5002137".PN.	USPAT	2001/10/22 10:50		
46	BRS	1	"4849692".PN.	USPAT	2001/10/22 10:50		
47	BRS	1	"4829250".PN.	USPAT	2001/10/22 10:51		
48	IS&R	3	("5646525").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 08:33		
49	IS&R	2	("3121228").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 10:56		
50	IS&R	5	("3868565").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 10:56		

	Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition
51	IS&R	3	("4287809").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 10:57		
52	BRS	33	4287809.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:06		
53	BRS	3	4287809.uref. and velocity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:00		
54	BRS	3	4287809.uref. and velocity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:00		
55	BRS	1	4287809.uref. and accelerat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:07		
56	BRS	22	4849692.uref. and accelerat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:07		
57	BRS	19	4849692.uref. and accelerat\$3 and velocity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:08		
58	BRS	9	4849692.uref. and accelerat\$3 with velocity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:08		
59	BRS	8	4849692.uref. and accelerat\$3 with velocity with position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:08		
60	BRS	3	4849692.uref. and accelerat\$3 with velocity with position and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:08		
61	BRS	3	4849692.uref. and accelerat\$3 with velocity with position and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:10		
62	BRS	0	5729129.uref. and accelerat\$3 with velocity with position and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:10		
63	BRS	0	4622644.uref. and accelerat\$3 with velocity with position and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:11		

	Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition
64	BRS	0	4054881.uref. and accelerat\$3 with velocity with position and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:11		
65	BRS	0	4054881.uref. and accelerat\$3 with velocity with position and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:11		
66	BRS	3	4945305.uref. and accelerat\$3 with velocity with position and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:12		
67	BRS	3	4945305.uref. and accelerat\$3 with velocity with position and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:12		
68	BRS	0	4613866.uref. and accelerat\$3 with velocity with position and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:12		
69	BRS	0	4710708.uref. and accelerat\$3 with velocity with position and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:13		
70	BRS	0	4642786.uref. and accelerat\$3 with velocity with position and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:13		
71	BRS	2813	702/36-38, 57,65-67,92-95,115,127,150-153,183,190,197.ccls or 324/207.2,207.21,207.25,173,174,202.ccls. or 367/128.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 16:57		
72	BRS	14	accelerat\$3 with velocity with position and magnet and (702/36-38, 57,65-67,92-95,115,127,150-153,183,190,197.ccls or 324/207.2,207.21,207.25,173,174,202.ccls. or 367/128.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:16		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
73 BRS	0	accelerat\$3 with velocity with position and magnet and three with dimension and (702/36-38, 57,65-67,92-95,115,127,150-153,183,190,197.ccls or 324/207.2,207.21,207.25,173,174,202.ccls. or 367/128.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:17		
74 BRS	6	accelerat\$3 with velocity with position and magnet and three with dimension	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 11:17		
75 BRS	1	object with position with velocity with acceleration and transmitters and receivers and frame and three with dimension and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:10		
76 BRS	1	object with position with velocity with acceleration and transmitter\$1 and receivers and frame and three with dimension and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:10		
77 BRS	57	transmitters and (702/36-38, 57,65-67,92-95,115,127,150-153,183,190,197.ccls or 324/207.2,207.21,207.25,173,174,202.ccls. or 367/128.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 11:14		
78 BRS	5	transmitters and position with velocity and (702/36-38, 57,65-67,92-95,115,127,150-153,183,190,197.ccls or 324/207.2,207.21,207.25,173,174,202.ccls. or 367/128.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:37		
79 BRS	5	transmitters and position with velocity and (702/36-38, 57,65-67,92-95,115,127,150-153,183,190,197.ccls or 324/207.2,207.21,207.25,173,174,202.ccls. or 367/128.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:37		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
80	BRS	2	transmitters and position with velocity and magnet and (702/36-38, 57,65-67,92-95,115,127,150-153,183,190,197.ccls or 324/207.2,207.21,207.25,173,174,202.ccls. or 367/128.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 09:20		
81	BRS	0	transmitters and position with velocity with acceleration and magnet and (702/36-38, 57,65-67,92-95,115,127,150-153,183,190,197.ccls or 324/207.2,207.21,207.25,173,174,202.ccls. or 367/128.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:38		
82	BRS	2	transmitters and position with velocity with acceleration and (702/36-38, 57,65-67,92-95,115,127,150-153,183,190,197.ccls or 324/207.2,207.21,207.25,173,174,202.ccls. or 367/128.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:44		
83	IS&R	3	("5646525").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:45		
84	IS&R	2	("3121228").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:48		
85	IS&R	5	("3868565").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:49		
86	IS&R	3	("3983474").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:50		
87	IS&R	3	("4054881").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:55		
88	IS&R	3	("4287809").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:56		

Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition
89 IS&R	5	("4314251").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:57		
90 IS&R	3	("4849692").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 12:59		
91 BRS	267	object with position with velocity with accelerat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 15:46		
92 BRS	14	object with position with velocity with accelerat\$3 and transmitters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 11:18		
93 BRS	4	object with position with velocity with accelerat\$3 and transmitters and ((three with dimension) or 3-d)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 13:18		
94 IS&R	3	("5646525").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 13:38		
95 BRS	0	object with position with velocity and transmitters with magnet and ((three with dimension) or 3-d)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 13:19		
96 IS&R	3	("3866229").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 13:38		
97 BRS	3199	702/36-38, 57,65-67,92-95,115,127,150-153 ,183,190,197.ccls or 324/207.2,207.21,207.25,173,17 4,202.ccls. or 367/128.ccls. or 700/63,69,85,258.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/22 16:57		
98 IS&R	3	("5412619").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 08:34		
99 IS&R	3	("3866229").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 08:37		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
100 IS&R	2	("5453686").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 08:38		
101 BRS	14	object with position and transmitters and receivers and frame and three with dimension	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 09:46		
102 IS&R	3	("5412619").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 09:18		
103 IS&R	4	("3836953").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 09:19		
104 BRS	0	wo-0076884-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 09:20		
105 BRS	0	wo-76884-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 09:20		
106 BRS	0	wo-076884-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 09:21		
107 IS&R	2	("3996590").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 10:16		
108 IS&R	3	("5646525").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 10:16		
109 BRS	9	transmitters and demodulat\$3 and (702/36-38, 57,65-67,92-95,115,127,150-153,183,190,197.ccls or 324/207.2,207.21,207.25,173,174,202.ccls. or 367/128.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 11:17		
110 BRS	0	transmitters and demodulat\$3 and magnet and (702/36-38, 57,65-67,92-95,115,127,150-153,183,190,197.ccls or 324/207.2,207.21,207.25,173,174,202.ccls. or 367/128.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 11:17		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
111	BRS	67	object with position and transmitters and receiver and demodulat\$3 and amplify\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 11:20		
112	BRS	0	object with position and transmitters and receiver same demodulat\$3 same amplify\$3 same magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 11:19		
113	BRS	0	object with position with magnet and transmitters and receiver and demodulat\$3 same amplify\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 11:20		
114	BRS	0	object with position with magnet and transmitter and receiver and demodulat\$3 same amplify\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 11:20		
115	BRS	33	object with position and transmitters and receiver and demodulat\$3 and amplify\$3 and magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 11:21		
116	BRS	1	object with position with magnetic and transmitters and receiver and demodulat\$3 and amplify\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 11:57		
117	IS&R	4	("3836953").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 11:56		
118	BRS	10	object with position with magnetic and transmitters and receiver and khz	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 12:01		
119	BRS	25	object with position with magnetic and transmitter and receiver and khz	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 14:32		
120	IS&R	3	("4642786").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 12:26		
121	IS&R	4	("3836953").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 12:56		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
122 IS&R	3	("5646525").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 14:49		
123 IS&R	2	("3121228").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 14:53		
124 IS&R	2	("3996590").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 14:57		
125 BRS	25585	eddy adj current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 15:06		
126 IS&R	3	("4642786").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 15:00		
127 IS&R	2	("5307072").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 15:17		
128 BRS	68	object with position with three with dimension and (ac magnetic field)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 15:51		
129 BRS	0	object with position with three with dimension and ac near magnetic field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 15:52		
130 BRS	0	object with position with three with dimension and ac near magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 15:52		
131 BRS	0	object with position with three with dimension and alternative with current with magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 15:53		
132 BRS	14	object with position and alternative with current with magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 16:41		
133 IS&R	3	("5796014").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/23 16:41		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
134 IS&R	2	("5307072").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/24 08:59		
135 IS&R	3	("5646525").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/24 09:26		
136 IS&R	3	("5214615").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/10/24 09:26		